

別 表

1. 6ABO 区発見主要建物一覽表

造営期	遺構	規模	棟方向	廂	桁行cm(尺)	梁行cm(尺)	廂cm(尺)	柱穴m(廂)	cm/尺
I	* SB 167	7 × 2	NS		2065 (70)	585 (20)		方0.6	29.5, 29.3
	* SB 176	9 × 4	NS	E・W	2652 (90)	1200 (40)	300 (10)	0.7(0.4)	29.5, 30.0
	* SB 205	7 × 2	NS		2043 (69)	592 (20)		1.0	29.6
	SB 269	1	NS		446 (15)			1.1	
	SB 317	7 × 4	EW	E・W・N・S	1916 (64.5)	1218 (41)		1.2(1.2)	29.7
	* SB 170	5 × 4	EW	N・S	1485 (50)	1246 (42)	356 (12)	1.0	29.7
II 1	* SB 177 A	7 × 3	NS	W	2079 (70)	891 (30)	297 (10)	1.0(0.8)	29.7
	* SB 186 A	7 × 4	EW	N・S	2079 (70)	1188 (40)	297 (10)	1.2(1.2)	29.7
	* SB 194 A	7 × 2	EW		2079 (70)	504 (17)		1.2	29.7
	* SB 200	7 × 4	EW	E・W・N・S	1930 (65)	1128 (38)	282 (9.5)	1.3(1.3)	29.7
	* SB 212	7 × 2	EW		1890 (63)	600 (20)		0.8	30.0
	SB 299	7 × 2	NS		1871 (63)	594 (20)		0.9	29.7
	SB 347	5 × 1	EW		1185 (40)	327 (11)		0.7	29.7
	SB 370	7 × 2	NS		1871 (63)	594 (20)		0.7	29.7
II 2	* SB 112	7 × 2	EW		2079 (70)	594 (20)		1.2	29.7
	* SB 131	5 × 2	EW		1485 (50)	594 (20)		1.2	29.7
	* SB 143	13 × 2	EW		3939(130)	606 (20)		1.2	30.3
	* SB 145	5 × 2	EW		1485 (50)	594 (20)		1.2	29.7
	* SB 177 B	7 × 2	EW		2079 (70)	594 (20)		1.0	29.7
	* SB 186 B	7 × 2	EW		2079 (70)	594 (20)		1.0	29.7
	* SB 194 B	7 × 2	EW		2079 (70)	594 (20)		1.0	29.7
	* SB 201	7 × 5	EW	N・S・S'	2079 (70)	1573 (52)	{297 (10) 386 (13)}	1.0(1.0)	29.7
	* SB 206	7 × 2	NS		2079 (70)	594 (20)		1.0	29.7
	* SB 209	7 × 2	NS		2079 (70)	594 (20)		1.0	29.7
	* SB 213	7 × 2	EW		2079 (70)	594 (20)		1.0	29.7
	SB 293	7 × 3	NS		2080 (70)	713 (24)		1.0	29.7
	SB 320							0.9	29.7
	SB 341	5 × 3	NS		1500 (50)	718 (24)		0.8	29.9
	SB 364	9 × 4	EW	N・S	2406 (81)	1083 (36)	271 (9)	1.1	{29.7 桁 30.1 梁}
	* SB 113	6 × 2	EW		1782 (60)	564 (19)		1.0	29.7
	* SB 166	5 × 2	EW		1337 (45)	594 (20)		0.8	29.7
II 3	* SB 116	5 × 3	NS	W	1360 (45)	821 (27)	337 (11)	0.8(0.8)	30.2, 30.6
	* SB 135	3 × 1	EW		788	351		0.8	
	* SB 146	5 × 2	NS		1115 (37.5)	446 (15)		0.8	29.7
	* SB 182	5 × 3	NS	E	1115 (37.5)	772 (26)	337 (11)	0.6(0.5)	29.7
	* SB 191	5 × 2	NS	E・W}	1188 (40)	1158 (39)	356 (11.5)	1.0(0.5)	29.7
	* SB 211	5 × 4	EW	N・S	1188 (40)	1158 (39)	{359 (12) 326 (11)}	0.8(0.8)	29.7
	SB 268	3 × 2	EW		846 (28.5)	475 (16)		0.9	29.7
	SB 273	5 × 2	EW	S	1337 (45)	861 (29)	327 (9)	0.9(0.9)	29.7
	SB 285	5 × 3	NS	E	1337 (45)	950 (32)	355 (12)	1.2(1.0)	29.7
	SB 307	3 × 3	EW	S	450 (15)	645 (21.5)	285 (9.5)	0.4(0.4)	30.0
	SB 308	3 × 3	EW	S	490 (16.5)	654 (22)	297 (10)	0.5(0.4)	29.7
	SB 314	5 × 2	EW		1065 (35)	424 (14)		1.2	30.3
	SB 321	7 × 2	EW		1657 (56)	414 (14)		0.8	29.6
	SB 327	5 × 3	EW	S	1188 (40)	838 (28)	358 (12)	1.1(0.8)	29.8
	SB 340	3 × 2	EW		713 (24)	505 (17)		0.8	29.7
	SB 348	5 × 2	EW		1335 (45)	535 (18)		1.1	29.7
SB 413	5 × 3	EW	S	1188 (40)	852 (28.5)	314 (10.5)	1.0	{29.7 桁 29.9 梁}	
III	* SB 236	4 × 2	NS		1128 (38)	534 (18)		0.8	29.7
	* SB 246	5 × 2	NS		1188 (40)	475 (16)		0.8	29.7~29.8
	SB 349	4 × 2	EW		951 (32)	416 (14)		0.9	29.7
	SB 386	5 × 2	EW		1188 (40)	475 (16)		0.75	29.7

*印は「平城宮報告Ⅱ」で報告したものである。「尺」は 造営尺で、完数を用いたものと仮定した。

2. 軒 丸 瓦

型 式 番 号	瓦 当 面											全 玉 縁 長	個 体 数			%			
	直 径	内 区					外 区						6 A B O 区	6 A B B 区	計				
		中 房 径	蓮 子 数	弁 区 径	弁 幅	弁 数	外 区 広	内 縁 幅	文 様	外 幅	高						外 縁 文 様		
6131-A		167	40	1+8	124	12	T16	21	8	S24	13	11	RV24	2	0	2	1.0		
6131-B		152	35	1+8	104	12	T16	24	10	S24	14	11	RV24	1	0	1	0.5		
6133-A		169	34	1+5	96	17	T12	36	19	S13	17	9	400	50	8	2	10	5.0	
6133-B		161	36	1+6	90	17	T12	35	17	S15	18	9	406	58	1	0	1	0.5	
6133-C		166	40	1+6	97	17	T13	29	16	S18	13	8	2	0	2	2	1.0		
6133-D		157	40	1+6	117	17	T16	23	14	S24	9	8	2	0	2	2	1.0		
6134-A		161	36	1+8	96	11	T12	32	19	S16	13	13	LV16	400	59	3	1	4	1.9
6225		167	68	1+8	116	36	F8	25	12	K	13	8	RV24	373	48	10	3	13	6.3
6227		157	61	1+8	119	28	F8	19	9	K	10	7	1	0	1	1	0.5		
6235		168	56	1+5	112	29	F8	28	17	S17	11	9	1	0	1	1	0.5		
6241		148	39	1+5	88	24	F8	30	15	S20	15	5	402	70	3	0	3	1.5	
6281-B		204	60	1+8 +8	115	29	F8	45	18	S32	27	21	LV32	1	0	1	0.5		
6282-B		162	45	1+6	86	31	F8	38	20	S24	15	9	LV	25	2	27	13.0		
6282-D		132	27	1+6	64	24	F8	34	20	S24	14	9	LV24	7	0	7	3.4		
6282-F		158	40	1+6	92	32	F8	33	20	S24	13	14	LV24	3	41 (43)	4	3	45 (47)	1.5
6282-G		160	46	1+6	90	24	F8	35	17	S24	18	11	LV	5	2	7	3.4		
6282-H		174	40	1+6	96	23	F8	39	23	S24	16	16	LV22	1	0	1	0.5		
6284-A		156	35	1+6	83	30	F8	36	18	S24	18	13	LV23	6	1	7	3.4		

型式番号	瓦 当 面											全 玉 縁 長	長	個 体 数			%						
	直 径	内 区					外 区							6 A B O 区	6 A B B 区	計							
		中 房 径	蓮 子 数	弁 区 径	弁 幅	弁 数	外 区 広	内 縁 幅	文 様	外 縁 幅	高							文 様					
6284-B		153	35	1+6	82	21	F8	36	19	S20	17	13	LV20	375	43	2	9 (12)	3	4	5	13 (16)	2.4	6.3 (7.7)
6284-C		155	40	1+6	89	23	F8	33	20	S24	13	11	LV			1		0		1		0.5	
6285		161	33	1+6	87	24	F8	37	21	S23	16	16	LV22			1		0		1		0.5	
6295		166			104	32	F8	31	16	S	15	5	LV?	375	43	1		0		1		0.5	
6301-C		160	48	1+5 +10	102	26	F8	29	16	S20	13	8	LV33			1		0		1		0.5	
6303		165	40	1+6	95	34	F8	35	19	S22	16	11	LV			1		0		1		0.5	
6304-A		162	35	1+6	99	37	F8	31	15	S17	16	16	LV16			1		0		1		0.5	
6304-C		159	35	1+6	84	21	F8	37	20	S19	17	14	LV			3		11		14		6.8	7.3
6306		161	42	1+6	91	23	F8	35	18	S24	17	13	LV16	391	47	17		1		18		8.2	
6307		168	35	1+6	92	25	F8	38	20	S	18	10	LV			2		0		2		1.0	
6308		155	35	1+6	93	28	F8	31	16	S16	15	6	LV16			3		1		4		1.9	
6311-A		161	40	1+6	96	26	F8	32	15	S26	17	11	LV23	395	56	9		1		10		4.9	
6311-C		157	40	1+6	100	24	F8	28	15	S16	13	9	LV16			1		0		1		0.5	5.4
6313-C		101	18	1	51	32	F4	25	12	S16	13	8	LV16			1		1		2		1.0	
6314-A		140	30	1+6	80	36	F4	30	15	S16	15	6	LV			1		0		1		0.5	
6314-B		122	23	1+5	67	32	F4	27	15	S19	12	10	LV			0		1		1		0.5	1.0
6316-B		142	30	1+?	88		F8	27	14	S	13	9	LV			1		0		1		0.5	
6320		167	38	1+8	88	9	T24	39	23	S24	16	14	RV24			4		0		4		2.0	

() は種類不明を加えたもの

型式不明	26	13	39	18.8
計	158 (163)	45 (44)	201 (207)	97.4 (100.0)

3. 軒 平 瓦

型式番号	瓦 当 面											全長	個 体 数			%			
	上弦弧	下弦弧	厚さ	内区厚さ	内区文様	上外区厚さ	上外区文様	下外区厚さ	下外区文様	脇幅	脇区文様		文様の深さ	6A B O 区	6A B B 区		計		
6561				36	OXC							5	1	0	1	0.4			
6641-E				53	HK	15	S23	16	LV 20		LV 4	2	1	0	1	0.4			
6641-F				50	HK	11	S23	15	LV 20	60	LV 3	2	2 (3)	0 (1)	2 (4)	0.8 (1.6)			
6643-B		78		48	HK	12	S	14	S			2	3	0	3	1.2			
6643-C		64		49	HK	13	S	15	S		S3	2	1	0	1	0.4			
6643-D		69		46	HK	14	S	13	S	61	S4	2	5 (6)	0	5 (6)	2.0 (2.4)			
6663-A		284	286	55	KK	14	K	16	K	62	K	2	1	0	1	0.4			
6663-B				59	KK	15	K	16	K	64	K	2	7	0	7	2.8			
6663-C		270	72	282	53	26	KK	14	K	13	K	73	K	3	8 (19) (25)	4 6	12 (25) (31)	4.8 (10.0) (12.4)	
6664-A				62	KK	18	S21	19	S21	80	S3	3	4	2	6	2.4			
6664-C		240	62	252	51	24	KK	14	S21	13	S21	62	S3	4	2	0	2	0.8	
6664-D		240	60	269	60	22	KK	20	S17	18	S19	74	S3	5	27	3	30	12.0	
6664-F		245	61	275	58	27	KK	14	S19	17	S21	78	S3	5	358	7	1	8	3.2
6664-G		248	80		60	23	KK	20	S17	17	S17	59	S3	6	375	4	1	5	2.0
6664-H				57	KK	17	S	16	S		S	6	48 (56)	1	15 (18)	63 (74)	25.2 (29.4)		
6664-I				53	KK	16	S21	12	S21		S3	4	2	1	3	1.2			
6664-K				62	KK	16	S	22	S		S	6	2	2	4	1.6			
6665				58	KK	18	S23	13	S25		S3	3	2	6	8	3.2			
6666		222	57	232	52	22	KK	15	S19	14	S17	62	S3	5	2	2	4	1.6	
6667				62	KK	17	S21	22	S21		S3	6	321	1	0	1	0.4		
6668				49	KK	15	S	16	S			4	0	3	3	1.2			
6681		273	80	274	48	17	KK	17	K	14	K	68	K	9	1	0	1	0.4	

型式番号	瓦 当 面												全長	個 体 数			%		
	上弦弧深	下弦弧深	厚さ	内区厚さ	内区文様	上外区厚さ	上外区文様	下外区厚さ	下外区文様	脇幅	脇区文様	文様の深さ		6 A B O 区	6 A B B 区	計			
6682	245	78	273	52	24	KK	15	S17	13	S17	78	S3	5	350	7	0	7	2.8	
6685-B	200	51	204	38	13	KK	12	S15	13	S15	47	S1	4	327	9	0	9	3.6	
6688				47	16	KK	14	S	17	S		S3	3	1	0	1	0.4		
6691-A	270	55	293	55	25	KK	14	S21	16	S21	58	S3	4	14	1	15	6.0		
6694	235	67	275	60	32	KK	17	S15	11	S17	70	S2	4	1	0	1	0.4		
6718						KK	16	S				S	5	1	0	1	0.4		
6721-A	260	54	268	45	21	KK	12	S26	12	S27	53		3	365	4	0	4	1.6	
6721-C	265	49	280	53	25	KK	15	S26	13	S32	60		3	8	0	8	3.2		
6721-E				42	22	KK	10	S	10	S	50		2	1	0	1	0.4		
6721-F		65		52	26	KK	13	S37	13	S37	65		3	6	0	6	2.4		
6721-G	260	60	280	47	24	KK	11	S35	12	S35	52		3	4	1	5	2.0		
6721-H	285	69	293	51	21	KK	14	S34	16	S	57	S3	3	1	0	1	0.4		
6732-A	285	47	305	69	36	KK	15	S11	18	S11	75	S1	4	340	13	0	13	5.2	
6732-B				61	32	KK	16	S11	14	S11	62	S1	5	4	21 (28)	0	4	4	1.6
6732-C				60	30	KK	14	S	16	S	65	S1	3	4	4	8	8	3.2	
6735				62	30	KK	15	S	17	S			5	1	0	1	0.4		
6760	240	41	265	54	25	KK	14	S19	15	S21	53	S2	5	0	1	1	0.4		
6763	247	45	268	63	29	KK	20	S11	14	S11	64	S1	3	2	0	2	0.8		
6779				68	19	KK	24	S	25	S			5	1	0	1	0.4		
6791-A				50	19	KK	13	S+X	18	S+X	63	S2	4	344	1	0	1	0.4	
7791-B				49	24	KK	12	S+X	13	S+X				1	0	1	0.4		
6801	269	60	292	62	35	U	14		13		68		4	2	0	2	0.8		

(T-単弁 S-複弁 S-珠文 K-圈線・界線 LV-線鋸歯文 RT-凸鋸歯 ()は種類不明を加えたもの
文 G-重弧文 U-飛雲文 KK-均整唐草文 HK-偏行唐草文 単位-mm)

型式不明	14	0	14	5.6
計	180 (213)	33 (38)	213 (251)	85.2 (100.1)